

# STKM13A

## 機械構造用炭素鋼鋼管 継目無

外径 (mm)	肉厚 (mm)	在庫
25.4	2.6	◎
	3.0	
	3.2	○
	3.5	◎
	4.0	◎
	4.5	◎
	5.0	◎
	5.5	◎
	6.0	◎
	6.5	△
	7.0	△
27.2	2.6	○
	3.0	
	3.2	◎
	3.5	◎
	4.0	◎
	4.5	◎
	5.0	◎
	5.5	◎
	6.0	◎
	6.5	△
	7.0	◎
	7.5	
	8.0	○
9.0	△	
10.0	△	
30.0	2.5	
	2.6	○
	3.0	○
	3.2	○
	3.5	○
	4.0	◎
	4.5	○

外径 (mm)	肉厚 (mm)	在庫
30.0	5.0	◎
	5.5	◎
	6.0	◎
	6.5	△
	7.0	◎
	8.0	◎
	9.0	△
	10.0	△
	11.0	△
	12.0	△
31.8	2.3	○
	2.6	◎
	3.0	
	3.2	◎
	3.5	◎
	4.0	◎
	4.5	◎
	5.0	◎
	5.5	◎
	6.0	◎
	6.5	○
	7.0	◎
	8.0	◎
9.0	◎	
10.0	◎	
11.0	△	
12.0	△	
34.0	2.6	◎
	3.0	
	3.2	◎
	3.5	◎
	4.0	◎
	4.5	◎

外径 (mm)	肉厚 (mm)	在庫
34.0	5.0	◎
	5.5	○
	6.0	◎
	6.4	◎
	6.5	
	7.0	◎
	7.5	
	8.0	◎
	9.0	◎
	10.0	◎
	11.0	△
	12.0	○
38.1	2.6	◎
	3.0	△
	3.2	◎
	3.5	◎
	4.0	◎
	4.5	◎
	5.0	◎
	5.5	○
	6.0	◎
	6.5	△
	7.0	◎
	7.5	
	8.0	◎
	8.5	
9.0	◎	
10.0	◎	
11.0	△	
12.0	○	
13.0	△	
14.0	△	

- ◎ 常備材
- ◎ 非常備材
- △ 取扱材

# STKM13A

機械構造用炭素鋼鋼管 継目無

外径 (mm)	肉厚 (mm)	在庫
------------	------------	----

40.0	2.6	◎
	3.2	○
	3.5	◎
	4.0	◎
	4.5	◎
	5.0	◎
	5.5	△
	6.0	◎
	6.5	△
	7.0	◎
	7.5	
	8.0	◎
	8.5	
	9.0	◎
	10.0	◎
	11.0	△
12.0	△	
13.0	△	
14.0	△	

42.7	2.6	◎
	3.0	
	3.2	◎
	3.5	◎
	4.0	◎
	4.5	◎
	5.0	◎
	5.2	
	5.5	◎
	6.0	◎
	6.4	◎
	6.5	△
	7.0	◎
	7.1	
	7.5	
8.0	◎	
8.5		

外径 (mm)	肉厚 (mm)	在庫
------------	------------	----

42.7	9.0	◎
	10.0	◎
	11.0	△
	12.0	◎
	13.0	△
	14.0	○
	15.0	◎

45.0	2.6	○
	3.0	
	3.2	△
	3.5	◎
	4.0	◎
	4.5	◎
	5.0	◎
	5.5	
	6.0	◎
	6.5	
	7.0	◎
	7.5	
	8.0	◎
	8.5	
	9.0	◎
10.0	◎	
10.5		
11.0	△	
12.0	◎	
13.0	△	
14.0	△	
15.0	◎	
16.0	△	

48.6	2.6	○
	3.0	
	3.2	○
	3.5	○
	4.0	◎
	4.5	◎
	5.0	◎

外径 (mm)	肉厚 (mm)	在庫
------------	------------	----

48.6	5.1	○
	5.5	◎
	6.0	◎
	6.5	○
	7.0	○
	7.1	◎
	8.0	◎
	9.0	○
	9.5	△
	10.0	◎
	11.0	○
	12.0	◎
	13.0	△
	14.0	○
15.0	◎	
16.0	○	
18.0	△	

50.0	2.6	
	3.2	
	3.5	
	4.0	
	4.5	
	5.0	
	6.0	
	7.0	
	8.0	
	9.0	
	10.0	
	11.0	
	12.0	
	13.0	
	14.0	
15.0		
16.0		
18.0		

◎ 常備材  
○ 非常備材  
△ 取扱材

# STKM13A

機械構造用炭素鋼鋼管 継目無

外径 (mm)	肉厚 (mm)	在庫
50.8	2.6	◎
	3.2	◎
	3.5	◎
	4.0	◎
	4.5	◎
	5.0	◎
	5.5	○
	6.0	◎
	6.5	○
	7.0	◎
	7.5	△
	8.0	◎
	8.5	
	9.0	◎
	9.5	
	10.0	◎
	10.5	△
	11.0	○
12.0	◎	
13.0	○	
14.0	○	
15.0	◎	
16.0	○	
18.0	◎	
52.0	3.2	
	3.5	
	4.0	△
	5.0	
	6.0	
	7.0	△
	8.0	△
	9.0	
	10.0	△

外径 (mm)	肉厚 (mm)	在庫
52.0	11.0	
	12.0	
	13.0	
	14.0	
	15.0	△
	18.0	△
54.0	3.2	○
	3.5	○
	4.0	◎
	4.5	◎
	5.0	◎
	5.5	○
	6.0	◎
	6.5	
	6.9	△
	7.0	◎
	7.5	
	8.0	◎
	8.5	
	9.0	◎
	9.5	
10.0	◎	
10.5		
11.0	○	
12.0	◎	
13.0	○	
14.0	○	
15.0	◎	
16.0	△	
18.0	◎	
20.0	△	

外径 (mm)	肉厚 (mm)	在庫
55.0	3.2	
	3.5	△
	4.0	◎
	4.5	△
	5.0	◎
	5.5	△
	6.0	◎
	6.5	△
	7.0	◎
	8.0	◎
	9.0	△
	10.0	◎
	11.0	△
	12.0	◎
13.0	△	
14.0	○	
15.0	◎	
16.0	△	
18.0	○	
20.0	△	
57.0	3.2	○
	3.5	○
	4.0	◎
	4.5	○
	5.0	◎
	5.5	△
	6.0	◎
	6.5	
	7.0	◎
7.5		
8.0	◎	
8.5		
9.0	◎	

◎ 常備材  
 ◎ 非常備材  
 △ 取扱材

# STKM13A

機械構造用炭素鋼鋼管 継目無

外径 (mm)	肉厚 (mm)	在庫
57.0	9.5	
	10.0	◎
	11.0	○
	12.0	◎
	13.0	○
	14.0	○
	15.0	◎
	16.0	○
	17.0	△
	18.0	◎
	19.0	△
	20.0	△
60.3	4.0	
60.5	3.2	◎
	3.5	◎
	4.0	◎
	4.5	◎
	4.9	△
	5.0	◎
	5.5	◎
	6.0	◎
	6.5	△
	7.0	◎
	7.5	△
	8.0	◎
	8.5	
	8.7	◎
	9.0	◎
	10.0	◎
	11.0	◎
	11.1	
	12.0	◎
	13.0	○
14.0	◎	
15.0	◎	

外径 (mm)	肉厚 (mm)	在庫
60.5	16.0	△
	17.0	
	18.0	◎
	19.0	
	20.0	◎
63.5	3.2	○
	3.5	○
	4.0	◎
	4.5	◎
	5.0	◎
	5.5	○
	6.0	◎
	6.5	△
	7.0	◎
	7.5	
	8.0	◎
	8.5	
	9.0	◎
	10.0	◎
	11.0	○
12.0	◎	
13.0	△	
14.0	○	
15.0	◎	
16.0	△	
18.0	◎	
20.0	◎	
65.0	3.2	○
	3.5	○
	4.0	◎
	4.5	◎
	5.0	◎
	5.5	

外径 (mm)	肉厚 (mm)	在庫
65.0	6.0	◎
	6.5	△
	7.0	◎
	8.0	◎
	8.5	
	9.0	○
	10.0	◎
	11.0	○
	12.0	◎
	12.5	△
	13.0	△
	14.0	◎
	15.0	◎
	16.0	○
	18.0	◎
20.0	◎	
22.0		
68.1	10.0	
70.0	3.2	
	3.5	◎
	4.0	◎
	4.5	◎
	5.0	◎
	5.5	△
	6.0	◎
	6.5	△
	7.0	◎
	7.5	
	8.0	◎
	8.5	
9.0	◎	
10.0	◎	
11.0	◎	
12.0	◎	

◎ 常備材  
○ 非常備材  
△ 取扱材

# STKM13A 機械構造用炭素鋼鋼管 継目無

外径 (mm)	肉厚 (mm)	在庫
70.0	13.0	◎
	13.5	
	14.0	○
	15.0	◎
	16.0	○
	17.0	○
	18.0	◎
	20.0	◎
	22.0	
	23.0	
	25.0	○
	73.0	3.5
3.6		
4.0		◎
4.5		○
5.0		◎
5.5		△
6.0		◎
6.5		
7.0		◎
8.0		◎
8.5		
9.0		◎
10.0		◎
11.0		△
12.0		◎
13.0		○
13.5		△
14.0		○
15.0		◎
16.0		△
17.0		
18.0		◎
20.0	◎	
22.0	△	

外径 (mm)	肉厚 (mm)	在庫
73.0	24.0	△
	25.0	○
75.0	7.0	
76.3	3.5	○
	3.8	
	4.0	◎
	4.2	◎
	4.5	◎
	5.0	◎
	5.5	○
	6.0	◎
	6.5	○
	7.0	◎
	7.5	△
	8.0	◎
	8.5	
	9.0	◎
	9.5	◎
	10.0	◎
	11.0	○
	12.0	◎
	13.0	○
	14.0	◎
	15.0	◎
	16.0	○
17.0		
18.0	◎	
19.0		
20.0	◎	
22.0		
23.0		
25.0	◎	
80.0	3.5	△

外径 (mm)	肉厚 (mm)	在庫
80.0	3.6	
	4.0	◎
	4.5	◎
	5.0	◎
	5.5	
	6.0	◎
	6.5	
	7.0	◎
	8.0	◎
	9.0	◎
	10.0	◎
	11.0	
	12.0	◎
	13.0	△
	14.0	○
	15.0	◎
	16.0	
	17.0	
	18.0	◎
	20.0	◎
	22.0	
	23.0	
25.0	◎	
30.0		
82.6	3.5	○
	3.6	
	4.0	◎
	4.5	○
	5.0	◎
	5.5	
	6.0	◎
	6.5	
7.0	◎	
8.0	◎	

◎ 常備材  
○ 非常備材  
△ 取扱材

# STKM13A 機械構造用炭素鋼鋼管 継目無

外径 (mm)	肉厚 (mm)	在庫
82.6	8.5	
	9.0	◎
	10.0	◎
	11.0	○
	12.0	◎
	13.0	○
	14.0	◎
	15.0	◎
	16.0	△
	18.0	◎
	20.0	◎
	23.0	△
	24.0	△
	25.0	◎
	30.0	○
85.0	3.2	
	3.5	○
	4.0	◎
	4.5	△
	5.0	◎
	6.0	◎
	7.0	◎
	8.0	◎
	9.0	○
	10.0	◎
	11.0	
	12.0	◎
	13.0	△
	14.0	○
	15.0	◎
	16.0	△
	18.0	◎
20.0	◎	

外径 (mm)	肉厚 (mm)	在庫
85.0	22.0	
	23.0	△
	25.0	◎
	30.0	△
89.1	3.5	○
	4.0	△
	4.2	○
	4.5	◎
	5.0	◎
	5.5	○
	6.0	◎
	6.5	△
	7.0	◎
	8.0	◎
	8.5	○
	9.0	◎
	9.5	
	10.0	◎
	11.0	△
	11.1	◎
	12.0	◎
	13.0	◎
	13.5	△
14.0	○	
15.0	◎	
16.0	○	
18.0	◎	
20.0	◎	
22.0	◎	
23.0	○	
25.0	◎	
30.0	△	
95.0	3.5	

外径 (mm)	肉厚 (mm)	在庫
95.0	4.0	
	4.5	△
	5.0	○
	6.0	◎
	7.0	○
	8.0	◎
	9.0	◎
	10.0	◎
	11.0	○
	12.0	◎
	13.0	△
	14.0	△
	15.0	◎
	16.0	△
	18.0	◎
	20.0	◎
	22.0	
	23.0	
	24.0	
	25.0	◎
30.0	△	
96.0	3.5	△
	4.0	○
	5.0	○
	6.0	○
	7.0	
	8.0	◎
	9.0	△
	10.0	◎
	12.0	◎
	14.0	
	15.0	◎
	18.0	◎
20.0	◎	
23.0		

◎ 常備材  
○ 非常備材  
△ 取扱材

# STKM13A

機械構造用炭素鋼鋼管 継目無

外径 (mm)	肉厚 (mm)	在庫
96.0	25.0	◎
	30.0	○
	35.0	
101.6	3.5	△
	4.0	
	4.2	◎
	4.5	◎
	5.0	◎
	5.7	△
	6.0	◎
	7.0	◎
	7.5	
	8.0	◎
	8.5	
	9.0	◎
	10.0	◎
	11.0	◎
	12.0	◎
	12.7	◎
	13.0	○
	14.0	◎
	15.0	◎
	16.0	◎
	18.0	◎
	19.0	△
	20.0	◎
	22.0	○
	23.0	◎
	25.0	◎
	28.0	△
30.0	◎	
35.0	◎	
105.0	3.5	○
	4.0	○
	4.5	○

外径 (mm)	肉厚 (mm)	在庫
105.0	5.0	◎
	6.0	◎
	7.0	◎
	8.0	◎
	9.0	◎
	10.0	◎
	11.0	○
	12.0	◎
	13.0	△
	14.0	○
	15.0	◎
	16.0	△
	18.0	◎
	20.0	◎
	23.0	△
	25.0	◎
	28.0	
30.0	◎	
35.0	○	
108.0	3.5	○
	4.0	○
	5.0	○
	6.0	○
	7.0	○
	8.0	○
	10.0	○
	12.0	○
	15.0	○
	18.0	○
	20.0	○

外径 (mm)	肉厚 (mm)	在庫
110.0	3.5	△
	4.0	△
	4.5	△
	5.0	◎
	6.0	◎
	7.0	○
	8.0	◎
	9.0	○
	10.0	◎
	11.0	△
	12.0	◎
	13.0	○
	14.0	△
	15.0	◎
	16.0	△
	18.0	◎
	20.0	◎
	22.0	○
	23.0	△
25.0	◎	
27.0	△	
28.0	△	
30.0	◎	
35.0	◎	
114.3	3.5	△
	4.0	
	4.2	△
	4.5	◎
	5.0	◎
	6.0	◎
	7.0	◎
8.0	◎	
9.0	◎	
10.0	◎	

◎ 常備材  
○ 非常備材  
△ 取扱材

# STKM13A

## 機械構造用炭素鋼鋼管継目無

外径 (mm)	肉厚 (mm)	在庫
114.3	11.0	
	11.1	◎
	12.0	◎
	12.7	△
	13.0	△
	13.5	◎
	13.8	
	14.0	○
	15.0	◎
	16.0	◎
	17.1	△
	18.0	◎
	20.0	◎
	21.0	△
	22.0	◎
	23.0	△
	25.0	◎
	27.0	△
	28.0	
	30.0	◎
35.0	◎	
118.0	8.0	
120.0	3.5	△
	4.0	△
	4.5	△
	5.0	◎
	6.0	◎
	7.0	◎
	7.5	○
	8.0	◎
	9.0	○
	10.0	◎
	11.0	△
12.0	◎	

外径 (mm)	肉厚 (mm)	在庫
120.0	13.0	△
	14.0	○
	15.0	◎
	16.0	○
	18.0	◎
	20.0	◎
	22.0	○
	23.0	○
	25.0	◎
	28.0	○
	30.0	◎
	35.0	◎
	40.0	△
	124.0	8.0
12.0		△
22.0		
125.0	4.0	
	5.0	△
	6.0	○
	7.0	
	8.0	◎
	9.0	
	10.0	◎
	12.0	○
	15.0	○
	18.0	○
127.0	3.5	△
	4.0	○
	4.5	◎
	5.0	◎
	6.0	◎

外径 (mm)	肉厚 (mm)	在庫
127.0	7.0	◎
	8.0	◎
	9.0	○
	10.0	◎
	11.0	△
	12.0	◎
	13.0	△
	14.0	○
	15.0	◎
	16.0	△
	18.0	◎
	20.0	◎
	23.0	○
	25.0	◎
	27.0	
	30.0	◎
	35.0	◎
38.0	△	
40.0		
130.0	3.5	△
	4.0	○
	5.0	◎
	6.0	◎
	6.5	○
	7.0	◎
	8.0	◎
	9.0	△
	10.0	◎
	11.0	△
	12.0	◎
13.0	○	
14.0	○	
15.0	◎	
16.0		
18.0	◎	

◎ 常備材  
○ 非常備材  
△ 取扱材



# STKM13A

機械構造用炭素鋼鋼管 継目無

外径 (mm)	肉厚 (mm)	在庫
130.0	20.0	◎
	22.0	○
	23.0	○
	25.0	◎
	28.0	○
	30.0	◎
	35.0	◎
	40.0	◎
132.0	8.0	△
133.0	7.0	△
	8.0	△
135.0	3.5	△
	4.0	○
	5.0	○
	6.0	◎
	7.0	○
	8.0	◎
	9.0	○
	10.0	◎
	11.0	○
	12.0	◎
	13.0	△
	14.0	△
	15.0	◎
	18.0	◎
	20.0	◎
	23.0	○
	25.0	◎
	30.0	◎
	35.0	◎
	40.0	○
136.0	7.0	○
137.0	8.0	○
139.8	3.5	◎
	4.0	◎
	4.5	◎
	5.0	◎
	6.0	◎

外径 (mm)	肉厚 (mm)	在庫
139.8	7.0	◎
	8.0	◎
	9.0	◎
	10.0	◎
	11.0	○
	12.0	◎
	12.7	◎
	13.0	△
	14.0	○
	15.0	◎
	15.9	◎
	16.0	△
	18.0	◎
	20.0	◎
	21.0	
	21.9	
	22.0	◎
	23.0	△
	25.0	◎
	30.0	◎
35.0	◎	
40.0	◎	
43.0	○	
45.0		
141.3	7.0	○
143.0	8.0	◎
146.0	4.0	○
	5.0	○
	6.0	◎
	7.0	◎
	8.0	◎
	9.0	△
10.0	◎	
11.0	△	

外径 (mm)	肉厚 (mm)	在庫
146.0	12.0	◎
	13.0	△
	14.0	○
	15.0	◎
	16.0	○
	18.0	◎
	20.0	◎
	22.0	○
	23.0	○
	25.0	◎
	30.0	◎
	35.0	◎
	40.0	◎
	44.0	△
150.0	4.0	
	5.0	
	6.0	
	7.0	
	8.0	◎
	10.0	◎
	12.0	◎
	14.0	
	15.0	◎
	16.0	○
	18.0	
	20.0	◎
23.0		
25.0	◎	
30.0	◎	
35.0	◎	
40.0		
44.0		

◎ 常備材  
○ 非常備材  
△ 取扱材

# STKM13A 機械構造用炭素鋼鋼管 継目無

外径 (mm)	肉厚 (mm)	在庫
------------	------------	----

152.4	4.2	
	4.5	△
	5.0	◎
	5.5	△
	6.0	◎
	7.0	◎
	8.0	◎
	9.0	○
	10.0	◎
	11.0	○
	12.0	◎
	13.0	○
	14.0	○
	15.0	◎
	16.0	○
	18.0	◎
	19.0	△
	20.0	◎
	22.0	◎
	23.0	○
25.0	◎	
30.0	◎	
35.0	◎	
40.0	◎	
44.0		
45.0	◎	

153.7	4.5	△
	5.0	○
	6.0	○
	7.0	○
	8.0	◎
	9.0	
	10.0	◎
	12.0	◎
	15.0	◎
	18.0	◎
	20.0	◎
23.0	○	

外径 (mm)	肉厚 (mm)	在庫
------------	------------	----

153.7	25.0	◎
	30.0	◎
	35.0	○
	40.0	○
	44.0	○
	45.0	○
	154.0	5.0
154.0	8.0	◎
	10.0	◎
	12.0	◎
	15.0	◎
	18.0	△
	20.0	○
	23.0	
	25.0	○
	30.0	○
	35.0	

156.0	8.0	◎
	11.0	
	12.0	○
	13.0	○
	15.9	○
	20.0	○
	25.0	○
	30.0	○

159.0	5.0	
	6.0	◎
	7.0	◎
	8.0	◎
	9.0	△
	10.0	◎
	11.0	△
	12.0	◎
	13.0	△
	14.0	
	15.0	◎
	16.0	
	18.0	◎

外径 (mm)	肉厚 (mm)	在庫
------------	------------	----

159.0	20.0	◎
	22.0	
	23.0	○
	25.0	◎
	28.0	○
	30.0	◎
	35.0	◎
	40.0	◎
	45.0	◎

160.0	7.0	
-------	-----	--

163.0	8.0	◎
-------	-----	---

165.2	4.0	
	5.0	○
	6.0	◎
	7.0	◎
	7.5	
	8.0	◎
	9.3	○
	10.0	◎
	11.0	◎
	12.0	◎
	13.0	○
	14.0	○
	14.3	○
	15.0	◎
	16.0	△
	17.0	○
	18.0	◎
	18.2	◎
20.0	◎	
21.9		
22.0	○	
23.0	◎	
25.0	◎	

- ◎ 常備材
- 非常備材
- △ 取扱材

# STKM13A

機械構造用炭素鋼鋼管 継目無

外径 (mm)	肉厚 (mm)	在庫
165.2	30.0	◎
	35.0	◎
	40.0	◎
	45.0	◎
	50.0	△
168.3	5.0	△
	6.0	◎
	7.0	△
	8.0	◎
	9.0	△
	10.0	◎
	11.0	△
	12.0	◎
	13.0	△
	14.0	△
	15.0	◎
	16.0	
	18.0	◎
	20.0	◎
	23.0	○
25.0	◎	
30.0	◎	
35.0	◎	
40.0	◎	
45.0	◎	
50.0	◎	
172.0	8.0	○
175.0	8.0	△
177.8	5.0	○
	6.0	◎
	7.0	○
	8.0	◎
	9.0	△
	10.0	◎

外径 (mm)	肉厚 (mm)	在庫
177.8	12.0	◎
	14.0	△
	15.0	◎
	16.0	△
	17.0	△
	18.0	◎
	20.0	◎
	22.0	△
	23.0	△
	25.0	◎
	30.0	◎
	35.0	◎
	40.0	◎
	45.0	◎
	50.0	○
180.0	5.0	○
	6.0	◎
	7.0	
	8.0	◎
	10.0	◎
	11.0	
	12.0	◎
	14.0	
	15.0	◎
	16.0	
	16.5	
	18.0	◎
20.0	◎	
23.0	△	
25.0	◎	
30.0	◎	
35.0	◎	
40.0	◎	
45.0	△	
50.0	△	

外径 (mm)	肉厚 (mm)	在庫
182.0	8.0	○
185.0	5.0	
	6.0	○
	7.0	
	8.0	◎
	10.0	◎
	12.0	◎
	15.0	◎
	18.0	◎
	20.0	◎
	23.0	△
25.0	◎	
30.0	◎	
35.0	◎	
40.0	◎	
45.0		
50.0		
187.0	8.0	○
187.7	8.0	◎
190.7	5.0	△
	6.0	◎
	7.0	◎
	8.0	◎
	9.0	
	10.0	◎
	11.0	◎
	12.0	◎
	14.0	△
	15.0	◎
16.0	△	
18.0	◎	
20.0	◎	

- ◎ 常備材
- 非常備材
- △ 取扱材

# STKM13A

## 機械構造用炭素鋼鋼管 継目無

外径 (mm)	肉厚 (mm)	在庫
190.7	22.0	○
	23.0	△
	25.0	◎
	27.0	△
	30.0	◎
	35.0	◎
	40.0	◎
	45.0	◎
	50.0	
	55.0	
	193.7	6.0
8.0		◎
10.0		◎
12.0		◎
15.0		◎
18.0		◎
20.0		◎
25.0		◎
30.0		◎
35.0		◎
40.0		◎
45.0		○
50.0		
196.7	8.0	◎
200.0	6.0	
	8.0	◎
	10.0	◎
	12.0	◎
	14.0	
	15.0	◎
	18.0	◎
	20.0	◎
	25.0	◎
	30.0	◎
	35.0	◎

外径 (mm)	肉厚 (mm)	在庫
200.0	40.0	◎
	45.0	△
	50.0	
	55.0	
203.0	8.0	◎
	10.0	◎
	12.0	◎
	15.0	◎
	18.0	◎
	20.0	◎
	25.0	◎
	30.0	◎
	35.0	◎
	40.0	○
	45.0	△
205.0	6.0	△
	7.0	
	8.0	◎
	10.0	◎
	12.0	◎
	13.0	
	14.0	
	15.0	◎
	16.0	△
	18.0	◎
	20.0	◎
	23.0	
	25.0	◎
	30.0	◎
35.0	◎	
40.0	◎	
45.0	◎	
207.0	8.0	○
208.0	8.0	△
	9.0	△

外径 (mm)	肉厚 (mm)	在庫
210.0	8.0	◎
	10.0	◎
	12.0	◎
	15.0	◎
	18.0	△
	20.0	◎
	23.0	△
	25.0	◎
	30.0	◎
	35.0	◎
	40.0	◎
45.0	△	
214.0	8.5	◎
216.3	6.0	△
	7.0	
	8.0	◎
	8.2	△
	9.0	
	10.0	◎
	11.0	
	12.0	◎
	12.7	○
	14.0	△
	15.0	◎
	16.0	△
	18.0	◎
	18.2	◎
	20.0	◎
	22.0	○
	23.0	◎
25.0	◎	
27.0	○	
28.0	○	
30.0	◎	
33.0	○	

◎ 常備材  
○ 非常備材  
△ 取扱材

# STKM13A

機械構造用炭素鋼鋼管 継目無

外径 (mm)	肉厚 (mm)	在庫
------------	------------	----

216.3	35.0	◎
	40.0	◎
	45.0	◎
	50.0	◎

219.1	6.0	△
	8.0	◎
	10.0	◎
	12.0	◎
	12.7	△
	13.0	
	14.0	△
	15.0	◎
	16.0	
	18.0	◎
	20.0	◎
	23.0	○
	25.0	◎
	28.0	○
	30.0	◎
	35.0	◎
	38.0	△
40.0	◎	
45.0	◎	
50.0	◎	

225.0	8.0	○
	9.0	○
	10.0	○
	12.0	○
	15.0	○
	20.0	○
	25.0	○
	30.0	○
35.0		

227.0	8.0	△
	9.0	◎
	10.0	

外径 (mm)	肉厚 (mm)	在庫
------------	------------	----

232.0	6.0	○
	7.0	△
	8.0	◎
	9.0	◎
	10.0	◎
	12.0	◎
	14.0	△
	15.0	◎
	16.0	
	18.0	◎
	20.0	◎
	22.0	△
	23.0	○
	25.0	◎
	30.0	◎
	32.0	

236.0	9.0	○
-------	-----	---

241.8	6.0	◎
	8.0	◎
	9.0	◎
	10.0	◎
	12.0	◎
	14.0	△
	15.0	◎
	16.0	△
	18.0	◎
	20.0	◎
22.0		
23.0	○	

外径 (mm)	肉厚 (mm)	在庫
------------	------------	----

241.8	25.0	◎
	30.0	◎
	35.0	◎
	40.0	◎
	45.0	◎
	50.0	◎
	55.0	◎
60.0	△	

244.5	6.0	○
	8.0	◎
	9.0	△
	10.0	◎
	12.0	◎
	14.0	△
	15.0	◎
	16.0	△
	18.0	◎
	20.0	◎
	23.0	
	25.0	◎
	30.0	◎
	35.0	◎

246.9	8.0	
-------	-----	--

250.0	8.0	
	10.0	◎
	12.0	◎
	15.0	◎
	18.0	◎

- ◎ 常備材
- 非常備材
- △ 取扱材

# STKM13A

## 機械構造用炭素鋼鋼管 継目無

外径 (mm)	肉厚 (mm)	在庫
250.0	20.0	◎
	25.0	◎
	30.0	◎
	35.0	◎
	40.0	○
	45.0	○
250.8	10.0	
	12.0	
	15.0	
	18.0	
	20.0	
	25.0	
	30.0	
	35.0	
	40.0	
	45.0	
50.0		
254.0	8.0	◎
	10.0	◎
	12.0	◎
	15.0	◎
	18.0	◎
	20.0	◎
	25.0	◎
	30.0	◎
	35.0	◎
	40.0	◎
	45.0	◎
	50.0	◎
	55.0	◎
60.0	△	
260.0	8.0	◎
	10.0	◎
	12.0	○

外径 (mm)	肉厚 (mm)	在庫
260.0	15.0	◎
	18.0	○
	20.0	◎
	25.0	◎
	30.0	◎
	35.0	○
	40.0	○
	45.0	◎
267.4	50.0	○
	6.0	△
	8.0	◎
	10.0	◎
	12.0	◎
	12.7	◎
	14.0	
	15.0	◎
	15.1	
	16.0	△
	17.0	△
	18.0	◎
	18.2	△
	20.0	◎
	21.4	◎
	22.0	△
	23.0	○
25.0	◎	
25.4	△	
28.0		
28.6	◎	
30.0	◎	
35.0	◎	
40.0	◎	
45.0	◎	
50.0	◎	
55.0	◎	
60.0	△	

外径 (mm)	肉厚 (mm)	在庫
273.0	10.0	
	12.0	
	18.0	
	30.0	
	35.0	
	40.0	
273.1	45.0	
	6.0	○
	8.0	◎
	10.0	◎
	12.0	◎
	12.7	○
	14.0	○
	15.0	◎
	16.0	△
	18.0	◎
	19.0	
	20.0	◎
	23.0	△
	25.0	◎
	30.0	◎
	35.0	◎
	40.0	◎
45.0	◎	
50.0	◎	
55.0	△	
280.0	8.0	○
	10.0	◎
	12.0	◎
	15.0	◎
	18.0	△
	20.0	◎
	23.0	
	25.0	◎
30.0	◎	
35.0	◎	

- ◎ 常備材
- 非常備材
- △ 取扱材

# STKM13A

## 機械構造用炭素鋼鋼管 継目無

外径 (mm)	肉厚 (mm)	在庫
280.0	40.0	◎
	43.0	
	45.0	◎
	50.0	◎
285.0	10.0	◎
	12.0	◎
	15.0	◎
	18.0	△
	20.0	◎
	25.0	◎
	30.0	◎
	35.0	◎
	40.0	◎
	45.0	◎
	50.0	◎
298.5	6.5	
	8.0	◎
	10.0	◎
	12.0	◎
	13.0	○
	14.0	△
	15.0	◎
	16.0	
	18.0	◎
	20.0	◎
	23.0	△
	25.0	◎
	25.4	
	27.0	
	28.0	
	30.0	◎
	33.0	
	35.0	◎
	40.0	◎
	42.0	○
	43.0	
	45.0	◎
	50.0	◎
55.0	◎	
60.0		

外径 (mm)	肉厚 (mm)	在庫
302.0	50.0	
	55.0	
	60.0	
	65.0	
	70.0	
305.0	10.0	◎
	12.0	◎
	15.0	◎
	18.0	◎
	20.0	◎
	23.0	△
	25.0	◎
	30.0	◎
	35.0	◎
	40.0	◎
	45.0	◎
310.0	10.0	△
	12.0	△
	15.0	△
	18.0	△
	20.0	△
	25.0	△
	30.0	△
35.0	△	
318.5	8.0	◎
	10.0	◎
	11.0	
	12.0	◎
	12.7	△
	14.0	△
	15.0	◎
	16.0	△
17.0		

外径 (mm)	肉厚 (mm)	在庫
318.5	18.0	◎
	20.0	◎
	21.4	◎
	23.0	◎
	25.0	◎
	25.4	△
	28.0	△
	28.6	△
	30.0	◎
	33.0	△
	33.3	△
	35.0	◎
	37.0	○
	38.0	○
	40.0	◎
	45.0	◎
50.0	◎	
55.0	◎	
60.0	◎	
65.0	○	
323.9	8.0	○
	10.0	◎
	12.0	◎
	12.7	△
	14.0	
	15.0	◎
	16.0	
	18.0	◎
	20.0	◎
	23.0	△
	25.0	◎
30.0	◎	
35.0	◎	
40.0	◎	

- ◎ 常備材
- 非常備材
- △ 取扱材

# STKM13A

機械構造用炭素鋼鋼管 継目無

外径 (mm)	肉厚 (mm)	在庫
------------	------------	----

323.9	45.0	◎
	50.0	◎
	55.0	◎
	60.0	○
	65.0	○
339.7	8.0	◎
	10.0	◎
	12.0	◎
	14.0	△
	15.0	◎
	16.0	△
	18.0	◎
	20.0	◎
	23.0	△
	25.0	◎
	30.0	◎
	35.0	◎
	40.0	◎
	45.0	◎
	50.0	◎
	55.0	◎
	60.0	○
	65.0	○
355.6	8.0	○
	10.0	◎
	12.0	◎
	12.7	△
	14.0	
	15.0	◎
	16.0	△
	18.0	◎
	20.0	◎
	22.0	△

外径 (mm)	肉厚 (mm)	在庫
------------	------------	----

355.6	23.0	
	23.8	○
	25.0	◎
	27.8	○
	30.0	◎
	35.0	◎
	40.0	◎
	43.0	△
	45.0	◎
	50.0	◎
	55.0	○
	60.0	◎
365.0	10.0	○
	12.0	○
	15.0	◎
	20.0	◎
	25.0	◎
	30.0	◎
	35.0	◎
	40.0	◎
	45.0	◎
	50.0	◎
55.0	○	
365.1	8.0	△
	10.0	○
	12.0	◎
	15.0	◎
	20.0	◎
	22.0	◎
	25.0	◎

外径 (mm)	肉厚 (mm)	在庫
------------	------------	----

365.1	30.0	◎	
	35.0	◎	
	40.0	◎	
	45.0	◎	
	50.0	◎	
	55.0	◎	
	60.0	◎	
	65.0	◎	
	377.0	32.0	△
	381.0	8.0	
10.0		◎	
12.0		◎	
14.0		△	
15.0		◎	
16.0		△	
18.0		◎	
20.0		◎	
23.0			
25.0		◎	
406.4	9.5	△	
	10.0	◎	
	12.0	○	
	12.7	◎	
	15.0	◎	
	16.7	◎	
	18.0	◎	
	20.0	◎	
	21.4	◎	

外径 (mm)	肉厚 (mm)	在庫
------------	------------	----

406.4	21.9	
	22.0	
	25.0	◎
	25.4	◎
	25.9	
	26.2	◎
	30.0	◎
	30.9	△
	35.0	◎
	40.0	◎
	40.5	◎
	45.0	◎
	50.0	◎
	55.0	○
	60.0	○
426.0	65.0	△
	70.0	△
	10.0	△
	12.0	◎
	15.0	◎
	18.0	◎
	20.0	◎
	25.0	◎
	30.0	◎
	35.0	◎
432.0	40.0	◎
	45.0	◎
	50.0	◎
	55.0	
	10.0	△
457.2	45.2	△

◎ 常備材  
○ 非常備材  
△ 取扱材