

配管用鋼製突合せ溶接式管継手の種類及び定価表 (PT370)

B2312

(1個当り 単位:円 但しネット価格は別途)

品名 厚さ 角度 呼径 A 呼径 B		E (L) / エルボロング					
		S40			S80		
		45°	90°	180°	45°	90°	180°
15	1/2	1,310	1,310	3,910	2,080	2,080	6,230
20	3/4	1,310	1,310	3,910	2,080	2,080	6,230
25	1	1,380	1,380	4,130	2,100	2,100	6,280
32	1 1/4	1,380	1,380	4,130	2,100	2,100	6,280
40	1 1/2	1,400	1,400	4,220	2,170	2,170	6,500
50	2	2,100	2,100	6,280	3,910	3,910	11,720
65	2 1/2	3,090	3,410	10,230	4,960	4,960	16,530
80	3	4,270	4,710	14,140	7,150	7,150	23,870
90	3 1/2	11,930	13,240	36,410	19,880	19,880	60,720
100	4	7,230	8,020	24,060	11,970	11,970	39,860
125	5	11,930	13,240	36,410	19,880	19,880	60,720
150	6	16,740	18,590	51,120	29,160	29,610	89,050
200	8	34,770	38,600	106,180	61,020	61,020	186,390
250	10	62,400	69,330	—	114,320	114,320	—
300	12	98,880	109,850	—	188,550	188,550	—
350	14	149,150	165,720	—	278,590	278,590	—

品名		E (S) / エルボショート					
呼径 A	厚さ 呼径 B 角度	S40			S80		
		45°	90°	180°	45°	90°	180°
15	1/2	—	—	—	—	—	—
20	3/4	—	—	—	—	—	—
25	1	—	1,690	5,080	—	2,560	7,720
32	1 1/4	—	1,690	5,080	—	2,560	7,720
40	1 1/2	1,780	1,770	5,300	2,740	2,740	8,180
50	2	2,220	2,220	6,620	4,200	4,200	12,620
65	2 1/2	3,290	3,660	10,970	5,320	5,920	17,740
80	3	4,420	4,900	14,690	7,370	8,180	24,540
90	3 1/2	12,240	13,580	37,320	20,370	22,630	62,220
100	4	7,420	8,230	24,700	12,270	13,630	40,860
125	5	12,240	13,580	37,320	20,370	22,630	62,220
150	6	17,200	19,090	52,510	29,890	33,210	91,330
200	8	35,630	39,560	108,790	62,490	69,430	190,920
250	10	63,970	71,080	—	117,220	130,240	—
300	12	101,140	112,650	—	193,380	214,840	—
350	14	152,470	169,380	—	284,860	316,480	—

配管用鋼製突合せ溶接式管継手の種類及び定価表 (PT370)

(B2312)

(1個当り 単位:円 但しネット価格は別途)

呼径 A	呼径 B	品名 厚さ	T(S)/同径	
			S40	S80
15	1/2		2,980	5,660
20	3/4		2,980	5,650
25	1		3,230	5,970
32	1 1/4		3,230	5,970
40	1 1/2		3,420	6,700
50	2		4,760	8,400
65	2 1/2		7,810	11,040
80	3		10,840	15,710
90	3 1/2		23,320	37,280
100	4		16,100	24,130
125	5		23,320	37,280
150	6		34,270	58,450
200	8		63,610	109,220
250	10		111,650	215,670
300	12		201,220	348,300
350	14		530,120	944,300

呼径 A	呼径 B	品名 厚さ 段落ち	T(R)/径違い			
			S40		S80	
			1~3段落ち	4段落ち以上	1~3段落ち	4段落ち以上
15×15	1/2		-	-	-	-
20×15	3/4 × 1/2		3,280	-	6,220	-
25×20 ~15	1 × 3/4 ~ 1/2		3,550	-	6,580	-
32×25 ~15	1 1/4 × 1 ~ 1/2		3,550	-	6,580	-
40×32 ~20/×15	1 1/2 × 1 1/4 / ~ 3/4 / × 1/2		3,750	4,140	7,370	8,120
50×40 ~25/×20	2 × 1 1/2 ~ 1 / × 3/4		5,230	5,760	9,260	10,200
65×50 ~32/×25	2 1/2 × 2 ~ 1 1/4 / × 1		8,600	9,480	12,170	13,400
80×65 ~40/×32	3 × 2 1/2 ~ 1 1/2 / × 1 1/4		11,930	13,130	17,280	19,010
90×80 ~50/×40	3 1/2 × 3 ~ 2 / × 1 1/2		25,660	28,230	41,010	45,110
100×90 ~65/×50~32	4 × 3 1/2 ~ 2 1/2 / × 2 ~ 1 1/4		17,710	19,490	26,540	29,210
125×100 ~80/×65・50	5 × 4 ~ 3 / × 2 1/2・2		25,660	28,230	41,010	45,110
150×125 ~90/×80~50	6 × 5 ~ 3 1/2 / × 3 ~ 2		37,710	41,480	64,300	70,740
200×150 ~100/×80	8 × 6 ~ 4 / × 3		69,970	76,980	120,160	132,170
250×200 ~125/×100	10 × 8 ~ 5 / × 4		122,840	135,110	237,270	260,990
300×250 ~150/×125	12 × 10 ~ 6 / × 5		221,350	243,490	383,160	421,460
350×300 ~200/×150	14 × 12 ~ 8 / × 6		583,130	641,450	1,038,730	1,142,590

配管用鋼製突合せ溶接式管継手の種類及び定価表(PT370)

(B2312)

(1個当り 単位:円 但しネット価格は別途)

呼径 A	呼径 B	品名	R(C)/同芯		R(E)/偏芯	
		厚さ	S40	S80	S40	S80
		段落ち	1~2段落ち			
20 × 15	$\frac{3}{4} \times \frac{1}{2}$		1,370	1,790	2,170	2,890
25 × 20~15	$1 \times \frac{3}{4} \sim \frac{1}{2}$		1,370	1,790	2,170	2,890
32 × 25~20	$1\frac{1}{4} \times 1 \sim \frac{1}{2}$		1,370	1,790	2,170	2,890
40 × 32~25	$1\frac{1}{2} \times 1\frac{1}{4} / \sim 1$		1,370	1,790	2,170	2,890
50 × 40~32	$2 \times 1\frac{1}{2} \sim 1\frac{1}{4}$		1,640	2,750	2,630	4,400
65 × 50~40	$2\frac{1}{2} \times 2 \sim 1\frac{1}{2}$		2,350	3,390	3,750	5,430
80 × 65~50	$3 \times 2\frac{1}{2} \sim 2$		2,820	4,430	4,540	7,080
90 × 80~65	$3\frac{1}{2} \times 3 \sim 2\frac{1}{2}$		6,210	9,870	9,910	15,790
100 × 90~80	$4 \times 3\frac{1}{2} \sim 3$		4,140	6,600	6,620	10,580
125 × 100~90	$5 \times 4 \sim 3\frac{1}{2}$		6,210	9,870	9,910	15,790
150 × 125~100	$6 \times 5 \sim 4$		8,720	15,390	13,930	24,610
200 × 150~125	$8 \times 6 \sim 5$		14,440	26,530	23,210	42,450
250 × 200~150	$10 \times 8 \sim 6$		28,700	46,810	45,940	74,880
300 × 250~200	$12 \times 10 \sim 8$		44,110	74,470	70,580	119,160
350 × 300~250	$14 \times 12 \sim 10$		92,450	172,110	147,910	275,370

呼径 A	呼径 B	品名	R(C)/同芯		R(E)/偏芯	
		厚さ	S40	S80	S40	S80
		段落ち	3~4段落ち			
32 × 15	$1\frac{1}{4} \times \frac{1}{2}$		2,050	2,730	3,890	5,180
40 × 20	$1\frac{1}{2} \times \frac{3}{4}$		2,050	2,730	3,890	5,180
50 × 25	2×1		2,470	4,120	4,680	7,830
65 × 32	$2\frac{1}{2} \times 1\frac{1}{4}$		3,510	5,080	6,670	9,660
80 × 40	$3 \times 1\frac{1}{2}$		4,260	6,650	8,070	12,640
90 × 50	$3\frac{1}{2} \times 2$		9,320	14,810	17,690	28,130
100 × 65~50	$4 \times 2\frac{1}{2} / \sim 2$		6,210	9,910	11,780	18,850
125 × 80~65	$5 \times 3 \sim 2\frac{1}{2}$		9,320	14,810	17,690	28,130
150 × 90~80	$6 \times 3\frac{1}{2} / \sim 3$		13,060	23,060	24,820	43,800
200 × 100	8×4		21,680	39,790	41,200	75,610
250 × 125	10×5		43,080	70,200	81,850	133,370
300 × 150	12×6		66,170	111,710	125,710	212,270
350 × 200	14×8		138,670	258,160	263,470	4,905,103